



## Oil cleaning: A simple solution for an invisible problem

A Simple, environmentally friendly solution for increased uptime and process availability. Investing in oil cleaning gives your company a better economy.

### EF2115V

#### Offline oil cleaner

#### Removes all types of contamination:

- Soft and hard particles down to  $\geq 0,1 \mu\text{m}$
- Bacteria
- Water (free and emulsified)
- Oxidation products (sludge and resin).

#### Benefits:

- Cost effective maintenance
- No oil changes = Environmentally friendly
- Change filters instead of changing oil
- Increased machine lifetime
- Less downtime
- No oxidation in oil




#### Filter insert EF500HY

Dirt capacity: ISO 12103-1 FTD: 1755 g  $\geq 0,1$  micron

Water absorption, restricted and unrestricted:  $\geq 3000\text{ml}$

Material insert: Cellulose, Polypropylene Homopolymer




## TECHNICAL SPECIFICATION





Europafilter	EF2115V
Dry weight:	17,3 kg
Operating weight:	25,6 kg
Depth:	284 mm
Width:	457 mm
Height:	533 mm (Service height filter replacement + 250 mm)
Dirt capacity: (particles/water)	Particles ISO 12103-1 FTD: 1755 g $\geq$ 0,1 micron Water absorption, restricted and unrestricted: $\geq$ 3000 ml (Depending on oiltype)
Oil temp:	Max. 80 °C (On higher temperatures contact Europafilter)
Particle removal:	$\geq$ 0,1 micron
Working pressure:	0.8–5 bar
Pressure:	Max. 6 bar, safety valve opens at 6 bar
Power consumption:	0.12 kW
Power supply:	Standard 1x230 V. Optional 3x220 V / 3x400 V+N. Others on request
Hose connection IN:	$\varnothing$ 3/4" BSP
Hose connection OUT:	$\varnothing$ 3/8" BSP
Installation (see drawing):	Connect as an offline unit. «IN» = hose to tank and «UT» = hose to tank
Flow, min.–max.:	6–240 l/h. Varies depending on oil viscosity and pressure
Approx flow at 3 bar:	32 cSt    46 cSt    68 cSt    100 cSt    150 cSt    220 cSt    320 cSt    460 cSt
	2 l/min    1,5 l/min    1 l/min    0,8 l/min    0,6 l/min    0,4 l/min    0,2 l/min    0,1 l/min
Oil volume *, max. rec.:	6000 l    4500 l    3000 l    2600 l    2200 l    2000 l    900 l    450 l

\* For other oilvolumes: Contact your Europafilter dealer.

## TECHNICAL DRAWING Offline installation



TECHNICAL SPECIFICATION

1	2	3	4	5	6																																						
D	C	B	A	A	D																																						
 <p style="text-align: center;">457</p>			 <p style="text-align: center;">533 (Servicehöjd vid filterbyte + 250 mm)</p>																																								
 <p style="text-align: center;">284</p>																																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Itemref</td> <td style="width: 25%;">Quantity</td> <td colspan="2" style="width: 50%;">Title/Name, designation, material, dimension etc</td> </tr> <tr> <td>Drawn by Joachim Rainal</td> <td></td> <td>Checked by</td> <td>Approved by - date</td> </tr> <tr> <td colspan="2" style="text-align: center;"><b>EF2115V</b></td> <td>File name</td> <td>Article No./Reference</td> </tr> <tr> <td colspan="2"></td> <td>Date</td> <td>Scale</td> </tr> <tr> <td colspan="2"></td> <td>2014-07-07</td> <td>1/10</td> </tr> <tr> <td colspan="2"></td> <td>Edition</td> <td>Sheet</td> </tr> <tr> <td colspan="2"></td> <td>1.0</td> <td></td> </tr> </table>		Itemref	Quantity	Title/Name, designation, material, dimension etc		Drawn by Joachim Rainal		Checked by	Approved by - date	<b>EF2115V</b>		File name	Article No./Reference			Date	Scale			2014-07-07	1/10			Edition	Sheet			1.0		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">RevNo</td> <td style="width: 25%;">Revision note</td> <td style="width: 25%;">Date</td> <td style="width: 25%;">Signature</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td>Checked</td> </tr> </table>		RevNo	Revision note	Date	Signature								Checked
Itemref	Quantity	Title/Name, designation, material, dimension etc																																									
Drawn by Joachim Rainal		Checked by	Approved by - date																																								
<b>EF2115V</b>		File name	Article No./Reference																																								
		Date	Scale																																								
		2014-07-07	1/10																																								
		Edition	Sheet																																								
		1.0																																									
RevNo	Revision note	Date	Signature																																								
			Checked																																								
D	C	B	A	A	D																																						